Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original) A method for identifying elements associated with a target molecule comprising the steps of:
 - (a) providing a probe capable of binding by specific molecular interaction to a predetermined specifically defined region of a target molecule, the probe associated with or capable of recruiting an enzyme;
 - (b) adding a tag capable of being activated by the enzyme such that it can attach to elements in the vicinity of the enzyme; and
 - (c) isolating elements having the tag attached thereto,
 - wherein the defined region occurs once, twice, or in a low number of copies in the target molecule.
- 2. (Original) A method according to claim 1 wherein the tag can attach <u>only</u> to elements in the vicinity of the enzyme.
- 3. (Currently Amended) A method according to claim 1 er 2 wherein the low copy number of the defined region of the target molecule is selected from the group of integral numbers of more than 2 up to 1000.
- 4. (Currently Amended) A method according to claim 1, 2 or 3 in which the target molecule is selected from the group consisting of RNA molecules, and DNA molecules.
- 5. (Currently Amended) A method according to claim 1, 2 or 3 in which the target molecule is selected from the group consisting of proteins or peptides, lipids, or other, artificial compounds.
- 6. (Currently Amended) A method according to claim 1 er 2 in which the elements which may be associated with the target molecule include distant regulatory elements, RNA, DNA, proteins and protein complexes, transcription factors, or in-vivo ligands of a specific receptor.

- 7. (Original) A method according to claim 4 in which the probe is selected from the group consisting of DNA probe, and an RNA probe.
- 8. (Original) A method according to claim 5 in which the probe is selected from the group consisting of an antibody specific for a protein, lipid or other molecule.
- 9. (Currently Amended) A method according to any preceding claim 1 in which the probe is associated with the enzyme through an antibody/enzyme conjugate, or enzyme/target molecule fusion.
- 10. (Currently Amended) The method according to any preceding claim 1 in which the enzyme is targeted using a hapten labelled probe and then a hapten-specific Fab fragment-enzyme conjugate is added.
- 11. (Currently Amended) The method according to any of claims 1 to 4 and 10 claim 1 in which the enzyme is targeted to RNA using a hapten-labelled probe specific to the RNA of an intron of an active gene, and then a hapten-specific Fab fragment/enzyme conjugate is added.
- 12. (Currently Amended) The method according to claim 10 or 11 in which the hapten is dioxygenin, biotin, dinitrophenol or FITC.
- 13. (Currently Amended) The method according to any preceding claim 1 in which the enzyme is Horse Radish Peroxidase and the tag is biotin-tyramide.
- 14. (Currently Amended) The method according to any preceding claim 1 in which elements are isolated using affinity chromatography or ImmunoPrecipitation.
- 15. (Currently Amended) A method for identifying elements of chromatin associated with transcribing RNA comprising the steps of:
 - (a) providing a hapten-labelled probe capable of binding by specific molecular interaction to a predetermined specifically defined region of RNA of a gene,
 - (b) providing an antibody conjugated with the enzyme horse-radish peroxidase, the antibody being specific for the hapten;

- (c) adding biotin-tyramide by such that it can attach to elements in the vicinity of the enzyme;
- (d) disrupting the chromatin; and
- (e) isolating elements of chromatin having biotin attached thereto using affinity chromatography and purifying the elements.
- 16. (Original) The method according to claim 15 wherein in step (c) the tag can attach <u>only</u> to elements in the vicinity of the enzyme.
- 17. (Currently Amended) The method of claim 15 or 16 in which the chromatin is disrupted using sonication, enzymatic cleaving, or shearing with a French Press or small bore syringe.
- 18. (Currently Amended) The method according to any of claims 15 to 17 claim 15 in which the hapten is digoxygenin.
- 19. (Currently Amended) Elements isolated by the method of any preceding claim 1.
- 20. (Currently Amended) A method for identifying DNA associated with a target molecule comprising the steps of:
 - (a) providing a probe capable of binding by specific molecular interaction to a predetermined specifically defined region of a target molecule, the probe associated with an DNA Adenine Methyltransferase;
 - (b) adding a restriction enzyme that will cut only DNA specifically methylated by DAM;
 - (c) isolating DNA cut by the restriction enzyme; and
 - (d) identifying the isolated DNA.
- 21. (Original) The method according to claim 20 wherein the isolated DNA is analysed/identified using Quantitative Real-Time PCR, slot blot or microarray.
- 22. (Currently Amended) A method for conducting a drug discovery business, comprising:

- (i) by the method of any preceding claim 1, identifying DNA and/or protein associated with regulating gene expression;
- (ii) generating a drug screening assay for identifying agents which inhibit or potentiate regulation of gene expression by the DNA and/or protein identified in step (i);
- (iii) conducting animal toxicity profiles on an agent identified in step (ii), or an analogue thereof;
- (iv) manufacturing a pharmaceutical preparation of an agent having a suitable animal toxicity profile; and
- (v) marketing the pharmaceutical preparation to healthcare providers.
- 23. (Currently Amended) A method for conducting a bioinformatics business, comprising:
 - (i) by the method of any of claims 1 to 21 claim 1, identifying DNA and/or protein associated with a gene at a chromosome location under a given condition; and repeating step (i); thereby
 - (ii) generating a database comprising information identifying different DNA and/or protein associated with one or more genes under one or more conditions.